

The Next Generation of Grout is Here!



The Easiest Grout to Install...PERIOD!



CUSTOM®

TILE INSTALLATION SYSTEMS

Ultimate Performance Pre-Mixed Single Component® Grout

Prism SCG is a **revolutionary formulation** that is installed as simple as a cement grout with **no mixing and no guesswork!**

Prism SCG can be **cleaned immediately or within 30 minutes**, providing greater flexibility to help complete jobs faster.

Delivering **unsurpassed stain resistance, perfect color and high performance in wet areas**, it is truly the next generation of grout!



Microban® inhibits the growth of stain causing mold and mildew on dried grout.



Why Choose prism[®] SCG

1 Perfect Color Consistency

Achieve a flawless, uniform look every time. Prism SCG Grout ensures perfect color consistency from bucket to bucket, regardless of tile type or jobsite conditions.

2 Best-In-Class Stain Resistance

With the best stain resistance on the market — outperforming epoxy, cement, and other single-component grouts — Prism SCG Grout keeps your surfaces looking clean and fresh.

3 Effortless Repairs

Repairs are a breeze with Prism SCG Grout. It bonds seamlessly to existing grout without removal, offering a perfect color match for invisible touch-ups.

4 Moisture-Resistant

Prism SCG Grout won't darken when exposed to water, unlike unsealed cement grout, making it an ideal choice for wet areas like showers.

5 Easy to Maintain

Maintain your grout effortlessly with easy-to-use neutral cleaners. For best results, avoid using high or low pH cleaners to ensure long-lasting durability and beauty.

6 No Extra/Added Labor

Superior technology allows for easy installation — no extra labor required. It goes on smoother and faster than traditional cement or epoxy grouts, with exceptional cleanability that helps you complete projects quicker and with less hassle.



40 Colors to Complement Today's Tile Trends



- | | | | |
|--|--------------------|--|-------------------|
| | #640 Arctic White | | #644 Shadow |
| | #381 Bright White | | #370 Dove Gray |
| | #11 Snow White | | #645 Steel Blue |
| | #641 Cool White | | #122 Linen |
| | #642 Ash | | #183 Chateau |
| | #545 Bleached Wood | | #172 Urban Putty |
| | #333 Alabaster | | #380 Haystack |
| | #10 Antique White | | #186 Khaki |
| | #382 Bone | | #135 Mushroom |
| | #643 Warm Gray | | #145 Light Smoke |
| | #544 Rolling Fog | | #541 Walnut |
| | #115 Platinum | | #185 New Taupe |
| | #546 Cape Gray | | #105 Earth |
| | #386 Oyster Gray | | #59 Saddle Brown |
| | #543 Driftwood | | #52 Tobacco Brown |
| | #542 Graystone | | #646 Coffee Bean |
| | #165 Delorean Gray | | #95 Sable Brown |
| | #335 Winter Gray | | #647 Brown Velvet |
| | #09 Natural Gray | | #540 Truffle |
| | #19 Pewter | | #60 Charcoal |

Sample colors shown generally approximate the color of the grout. Final installed color may vary. Please use our color card or grout kit for more accurate color representation.

Complete Projects Faster —

- Handles better than traditional cement grout
- Clean immediately or within 30 minutes
- Easier clean-up than cement or epoxy

For Joints 1/16" to 1/2" (1.6 - 12.7 mm)

Average coverage: sq. ft. per 1 gallon (3.78 L) unit

TILE SIZE	JOINT WIDTH					
	1/16"	1/8"	3/16"	1/4"	3/8"	1/2"
1" x 1" x 1/4"	55	31	23	19	15	14
4-1/4" x 4-1/4" x 1/4"	213	110	75	58	41	32
18" x 18" x 3/8"	588	296	199	150	101	77
6" x 24" x 3/8"	315	160	108	82	56	43
12" x 24" x 3/8"	523	263	177	134	91	69

Average coverage: m² per 1 gallon (3.78 L) unit

	1.6 mm	3.2 mm	4.8 mm	6.4 mm	9.5 mm	12.7 mm
	25 x 25 x 6.4 mm	5.1	2.9	2.1	1.8	1.4
108 x 108 x 6.4 mm	19.8	10.2	7.0	5.4	3.8	3.0
457 x 457 x 9.5 mm	54.6	27.5	18.5	13.9	9.4	7.2
152 x 610 x 9.5 mm	29.3	14.8	10.0	7.6	5.2	4.0
305 x 610 x 9.5 mm	48.6	24.5	16.4	12.4	8.4	6.4



See Website for
Warranty Details



Scan this to
learn more about
Prism SCG!

Product specifications may change without notice. For the most up to date product and technical information, go online to HomeDepot.com or CustomBuildingProducts.com. Not all products available in all markets. CUSTOM and PRISM are registered trademarks of Custom Building Products.

©2024 SCGTO 10/24N